

Telephone: 0160-2810099

Email ID: engineering.m@hbchrcm.tmc.gov.in



**TATA MEMORIAL CENTRE
AIDED INSTITUTE OF DEPARTMENT OF ATOMIC ENERGY
GOVERNMENT OF INDIA
HOMI BHABHA CANCER HOSPITAL & RESEARCH CENTRE, NEW CHANDIGARH,
PUNJAB -140901**

TMC/HBCHRC/ENG/NC/CRNDM/Store Lifts/2025-26/02

Dated:12.11.2025

CORRIGENDUM-02

Kindly refer the Online Tender Ref No: TMC/HBCH&RC/New Chandigarh/Store Lifts/2025-26/e-NIT/51 Dated 01/11/2025, with Tender Id- 2025_TMC_883645_1 published at CPP portal and also uploaded at our websites i.e. tmc.gov.in of Supply, Installation, testing and commissioning of G+1 bed lifts in store building along with providing and laying of power cable with accessories at HBCH&RC, New Chandigarh, Punjab - 140901.

Following corrigendum/addendum may be read against the above mentioned tender in NIT Volume II (Technical Specifications). As per the recommendation of the Authority. The revised details/ parameters may be read as follows:

Page No -	As per Technical Specification	Read as / Revised
Page No.18- Well dimensions	1830 mm width and 2800 mm depth (required)	2500 mm width and 3000 mm depth (required)
Page No.18- Head Room height	4000 mm (required)	4800 mm (required)
Page No.18- Car dimensions	1000 mm wide x 2400 mm deep x 2200 mm high	1400 mm wide x 2400 mm deep x 2200 mm high
Page No.18- Door dimensions	800 mm wide x 2000 mm internal height	1200 mm wide x 2000 mm internal height

Sd/-
OIC, Engineering
HBCH&RC, New Chandigarh